

WS 9000CT Water Cooler

- ❁ SafeTouch™ surface protection with silver ion antimicrobial technology
- ❁ LG parts and components
- ❁ Touch-activated sensor operation
- ❁ Innovative design and technology
- ❁ Stainless steel reservoirs
- ❁ Enhanced alkalinity*
- ❁ State-of-the-art filtration and sanitization*
- ❁ Nutrient boost from added minerals*
- ❁ Built-in lead detection system
- ❁ Clean, fresh tasting water

* When used with Wellsys proprietary filtration



WS 9000CT Water Cooler

- SafeTouch™ surface protection with silver ion antimicrobial technology
- Stainless steel reservoirs
- Safety button for hot water dispensing
- Hot and cold water
- Touch sensor and one-hand dispensing
- Continuous sanitization*
- Filters contained inside the cooler for neater appearance
- Enhanced alkalinity and nutrient boost from added minerals*



Large-capacity reservoir serves more users

20.5"

14.2"

15.5"


Specifications

DESCRIPTION	SPECIFICATION
Weight	50 lbs
Dimensions	20.5"h x 14.2"w x 15.5"d
Colors	Black and white
Cold Tank Capacity	1.2 gallons (4.5 liters)
Hot Tank Capacity	.5 gallon (1.9 liters)
Dispense Height	7"
Recommended Water Pressure	60-70 psi
Rated Voltage/Frequency	110v/60Hz @ 4.9 amps
Power Consumption	1.60 kWh/24 hours

Manufactured in Korea

* When used with Wellsys proprietary filtration

Multi-Stage Purification Process



- 1 Sediment Filter**
Reduces particles such as dirt, silt, rust and pipe residue.
- 2 Pre-Carbon Filter**
Reduces chlorine, chemicals and pesticides.
- 3 Reverse Osmosis (RO) or Ultra Filtration (UF) Membrane**
Reduces such contaminants as solids, arsenic, pharmaceuticals, and metals.
- 4 BIO-SURE PLUS™ FILTER**
 - 4a Restores/Adds Minerals & Electrolytes**
More than 20 minerals and electrolytes are added.
 - 4b Enhances Alkalinity**
Water is enhanced with minerals to increase alkalinity.
 - 4c Sanitizes Water**
Colloidal silver is used to maintain the cleanliness of the waterway.
- 5 Final Polishing Filter**
Coconut shell carbon polishes the water for great taste.